




REVISIONS					
P	LTR	DESCRIPTION	DATE	DMN	APVD
F2		REVISE PER PCN-22-157376	14NOV2022	M.C.H.L	



NO	QTY	POS.	PART NO.
NO 3	18	75	440 9-1827231-6
NO 3	18	75	440 3-1827231-6
SEALANT ROW	A		

STE TE Connectivity Ltd.

HARD TRAY ASSY
FH 0.58TB CONNECTOR 440POS
REC 4H W/G-PLATE ON 2 ROW CAP

APVD: W.KODAMA
PRODUCT SPEC: 108-5560
APPLICATION SPEC: [blank]
WEIGHT: [blank]

SIZE: A3
CAGE CODE: 00779
DRAWING NO: 1827231
RESTRICTED TO: [blank]


THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC	± 0.25
1 PLC	± 0.15
2 PLC	± 0.10
3 PLC	± 0.05
4 PLC	± 0.0250
ANGLES	± 3°

DMN: S.CHIEN
CHK: T.FUJITSUGI
APVD: W.KODAMA
PRODUCT SPEC: 108-5560
APPLICATION SPEC: [blank]
WEIGHT: [blank]

CUSTOMER DRAWING

REVISIONS					
P	LR	DESCRIPTION	DATE	DMN	APVD
-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
MM	
0 PLG	± 0.25
1 PLG	± 0.15
2 PLG	± 0.10
3 PLG	± 0.05
4 PLG	± 0.0250
ANGLES	± 3°

MATERIAL	FINISH
1	2

DMN	CHK	APVD	PRODUCT SPEC	APPLICATION SPEC	WEIGHT
-	-	-	-	-	-


BLACK	62.8	440	9-1827231-6
BLACK	62.8	440	3-1827231-6
CAP COLOR	B	POS	PART NO.

STE TE Connectivity Ltd.

NAME: HARD TRAY ASSY
 FH 0.5BTB CONNECTOR 440POS
 REC 4H W/G-PLATE ON 2 ROW CAP
 SIZE: A3
 CAGE CODE: 00779
 DRAWING NO: 1827231
 RESTRICTED 30

CUSTOMER DRAWING	SCALE	SHEET	REV
-	4:1	2 OF 4	F2

REVISIONS					
P	LR	DESCRIPTION	DATE	DMN	APVD
-	-	SEE SHEET 1	-	-	-



REFERENCE P.C. BOARD LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES: UNLESS OTHERWISE SPECIFIED:
MM	
0 P.L.C	± 0.25
1 P.L.C	± 0.15
2 P.L.C	± 0.10
3 P.L.C	± 0.05
4 P.L.C	± 0.0250
ANGLES	± 3°

DIM	CHK	APVD	PRODUCT SPEC	APPLICATION SPEC	WEIGHT
-	-	-	-	-	-



TE Connectivity Ltd.

HARD TRAY ASSY








FH 0.5BTB CONNECTOR 440POS

REC 4H W/G-PLATE ON 2 ROW CAP

SIZE	CAGE CODE	DRAWING NO.	RESTRICTED TO
A3	00779	1827231	-

59.5	440	9-1827231-6
59.5	440	3-1827231-6
H	POS	PART NO.

REVISIONS		DESCRIPTION	DATE	DMN	APVD
P	LTR	SEE SHEET 1	-	-	-



DMN	CHK	APVD	NAME	DATE	DMN	APVD
0.00076	61.8	59.5	57.7	57.1	54.5	220
0.00002	61.8	59.5	57.7	57.1	54.5	220

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
MM		0 P/C	±0.25
		1 P/C	±0.15
		2 P/C	±0.10
		3 P/C	±0.05
		4 P/C	±0.0250
		ANGLES	±3°

THIS DRAWING IS A CONTROLLED DOCUMENT.

DMN _____
CHK _____
APVD _____

PRODUCT SPEC _____
APPLICATION SPEC _____
WEIGHT _____

CUSTOMER DRAWING _____

NOTES

△ MATERIAL : HOUSING : HIGH TEMP THERMO PLASTIC UL94V-0
CONTACT : COPPER ALLOY; SOLDER PEG : COPPER ALLOY

△ FINISH : MATING AREA: MEETS THE PERFORMANCE REQUIREMENTS OF PRODUCT SPECIFICATION 108-5560;
SOLDER TAIL OF SIGNAL & GROUND CONTACTS : GOLD FLASH;
SOLDER PEG : TIN OVER Ni

△ THIS POSITION IS GROUND CIRCUIT.

REC. CONNECTOR P/N: *-1827231-*

REC. CONNECTOR P/N: *-1827231-*

PLUG CONNECTOR P/N: *-5353652-*

PLUG CONNECTOR P/N: *-1827233-*