ASEDCIATION CONNECTING ELECTRONICS INDUSTRIES INTERNAL INCOMPACTOR INCOMPACTOR	PC, Bannockt	ourn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declarati he declaration e	on of the su	ibstances v s all lower	vithin the manufactu level materials for w	rer listed i which the n	tem. Note: nanufacture	if the item is an as r has engineering	sembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	⁴ Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					fg Informa	tion		
upplier Information				· ·										
Company name*			Company unique ID			Unique ID Authority				Respons	Response Date*			
onsemi											2023-06-08			
Contact Name Title - Contact			ct	Pr			Phone - Contact*				Email - Contact*			
Product-Env-Stewards Product Env			Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Repr			Representative			Phone - Representative*				Email - Representative*				
Product-Env-Stewards Pr			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Date Version Manufacturing Site		lanufacturing Site		Weight*	UOM	Unit Type	
	FAN486	FAN48632BUC33X 3MHZ DC/DC		Boost 1.5A		2023-06-08		Т	TW6		3.658	mg	Each	
Ianufacturing Proccess Informa	tion		1											
Terminal Plating / Grid Array M	Ferminal Plating / Grid Array Material Terminal Base A		Alloy	J-STD-020 MSL Rating		Peak Process Body Temperature Max Tim		e Max Time at Peak	ak Temperature Number of Reflow Cycles		eles			
SnAgCu CU Alloy			1		260		С	30	secon	ds 3				
omments														
vel 1 - maximum time at peak temperat	ure during so	Idering is 10-3	0 seconds											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted	
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Backside Protection Film	0.025	mg	Supplier	Poly(Ethylene Terephthalate) (C10H8O4)	25038-59-9		0.015	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.003	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.001	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		0.006	mg	
Die	2.64	mg	Supplier	Silicon (Si)	7440-21-3		2.625	mg	
			Supplier	Aluminum (Al)	7429-90-5		0.015	mg	
Solder Ball	0.973	mg	Supplier	Silver (Ag)	7440-22-4		0.039	mg	
			Supplier	Tin (Sn)	7440-31-5		0.929	mg	
			Supplier	Copper (Cu)	7440-50-8		0.005	mg	
Under Bump Metal	0.02	mg	Supplier	Titanium (Ti)	7440-32-6		0	mg	
			В	Nickel (Ni)	7440-02-0		0.009	mg	
			Supplier	Gold (Au)	7440-57-5		0.005	mg	
			Supplier	Copper (Cu)	7440-50-8		0.001	mg	
			Supplier	Aluminum (Al)	7429-90-5		0.005	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).