Product Change Notification - SYST-15CTFJ829

Date:
26 Nov 2018
Product Category:
Linear Regulator ICs
Affected CPNs:
📄📊
Notification subject:
Data Sheet - CL6 100 mA Fixed Constant-Current Linear LED Driver Data Sheet
Notification text:
SYST-15CTFJ829
Microchip has released a new DeviceDoc for the CL6 100 mA Fixed Constant-Current Linear LED Driver Data Sheet of devices. If you are using one of these devices please read the document located at CL6 100 mA Fixed Constant-Current Linear LED Driver Data Sheet.

Notification Status: Final

Description of Change:
1) Converted Supertex Doc# DSFP-CL6 to Microchip DS20005809A
2) Changed the maximum junction temperature from 150°C to 135°C in the Absolute Maximum Ratings section and added a maximum operating junction temperature of 119°C to the Temperature Specifications table
3) Changed the package marking format
4) Made new sections to comply with the standard Microchip document format
5) Made minor text changes throughout the document

Impacts to Data Sheet: None

Reason for Change: To Improve Manufacturability

Change Implementation Status: Complete

Date Document Changes Effective: 26 Nov 2018

NOTE: Please be advised that this is a change to the document only the product has not been changed.

Markings to Distinguish Revised from Unrevised Devices: N/A
Attachment(s):
CL6 100 mA Fixed Constant-Current Linear LED Driver Data Sheet

Please contact your local Microchip sales office with questions or concerns regarding this notification.

Terms and Conditions:

If you wish to receive Microchip PCNs via email please register for our PCN email service at our PCN home page select register then fill in the required fields. You will find instructions about

registering for Microchips PCN email service in the PCN FAQ section.

If you wish to change your PCN profile, including opt out, please go to the PCN home page select login and sign into your myMicrochip account. Select a profile option from the left navigation bar and make the applicable selections.

Affected Catalog Part Numbers (CPN)

CL6K4-G
CL6N5-G