



Product Change Notification



Product Group: Diodes / December 1st, 2014 / PCN-DD-026-2014 Rev.0

6 inches qualification for Schottky Products

DESCRIPTION OF CHANGE: Vishay Semiconductors announces that the Silicon Wafer diameter used as raw material will change from 5 inches (125 mm) to 6 inches (150 mm) and manufacturing process will be adapted to 6" existing lines.

CLASSIFICATION OF CHANGE: Wafer/Chip/Pellet Site-Layout/Design
Assembly Process/Structure and Lead Free Statement

REASON FOR CHANGE: Continuous improvement and manufacturing flexibility.

EXPECTED INFLUENCE ON QUALITY/RELIABILITY/PERFORMANCE: There will be no effect on quality, reliability, or electrical performance.

PRODUCT CATEGORY: Schottky

PART NUMBERS/SERIES/FAMILIES AFFECTED:

PACKAGE	PRODUCT	HALOGEN FREE VERSION	PRODUCT AEC Q101
D2PAK	VS-10CTQ150-1PBF	VS-10CTQ150-1-M3	
D2PAK	VS-10CTQ150SPBF	VS-10CTQ150S-M3	
D2PAK	VS-10CTQ150STRLPBF	VS-10CTQ150STRL-M3	
D2PAK	VS-10CTQ150STRRPBF	VS-10CTQ150STRR-M3	
D2PAK	VS-19TQ015SPBF	VS-19TQ015S-M3	
D2PAK	VS-19TQ015STRLPBF	VS-19TQ015STRL-M3	
D2PAK	VS-19TQ015STRRPBF	VS-19TQ015STRR-M3	
D2PAK	VS-20CTQ150-1-011P	VS-20CTQ150-1-011P	
D2PAK	VS-20CTQ150-1PBF	VS-20CTQ150-1-M3	VS-20CTQ150-1HM3
D2PAK	VS-20CTQ150SPBF	VS-20CTQ150S-M3	VS-20CTQ150SHM3
D2PAK	VS-20CTQ150STRLPBF	VS-20CTQ150STRL-M3	VS-20CTQ150STRLHM3
D2PAK	VS-20CTQ150STRRPBF	VS-20CTQ150STRR-M3	VS-20CTQ150STRRHM3
D2PAK	VS-20L15TSPBF	VS-20L15TS-M3	
D2PAK	VS-20L15TSTRLPBF	VS-20L15TSTRL-M3	
D2PAK	VS-20L15TSTRRPBF	VS-20L15TSTRR-M3	
D2PAK	VS-40CTQ150-1PBF	VS-40CTQ150-1-M3	
D2PAK	VS-40CTQ150SPBF	VS-40CTQ150S-M3	
D2PAK	VS-40CTQ150STRLPBF	VS-40CTQ150STRL-M3	
D2PAK	VS-40CTQ150STRRPBF	VS-40CTQ150STRR-M3	
D2PAK	VS-40L15CT-1PBF	VS-40L15CT-1-M3	
D2PAK	VS-40L15CTSPBF	VS-40L15CTS-M3	
D2PAK	VS-40L15CTSTRLPBF	VS-40L15CTSTRL-M3	
D2PAK	VS-40L15CTSTRRPBF	VS-40L15CTSTRR-M3	

Vishay Intertechnology, Inc.

Corporate Headquarters 63 Lincoln Highway, Malvern, PA 19355-2143 U.S.A. Phone (610) 644-1300 Fax (610) 296-0657 www.vishay.com

ONE OF THE WORLD'S LARGEST MANUFACTURERS OF DISCRETE SEMICONDUCTORS AND PASSIVE COMPONENT

PACKAGE	PRODUCT	HALOGEN FREE VERSION	PRODUCT AEC Q101
D2PAK		VS-96-1078PBF	
D2PAK		VS-96-1086PBF	
D2PAK		VS-96-1091PBF	
D2PAK		VS-S1504	
D2PAK	VS-STPS20L15GPBF	VS-STPS20L15G-M3	
D2PAK	VS-STPS20L15GTRLP	VS-STPS20L15GL-M3	
D2PAK	VS-STPS20L15GTRRP	VS-STPS20L15GR-M3	
D-61	VS-110CNQ045APBF		
D-61	VS-110CNQ045ASLPBF		
D-61	VS-110CNQ045ASMPBF		
D-61	VS-111CNQ045APBF		
D-61	VS-111CNQ045ASLPBF		
D-61	VS-111CNQ045ASMPBF		
D-61	VS-112CNQ030APBF		
D-61	VS-112CNQ030ASLPBF		
D-61	VS-112CNQ030ASMPBF		
D-61	VS-113CNQ100APBF		
D-61	VS-113CNQ100ASLPBF		
D-61	VS-113CNQ100ASMPBF		
D-61	VS-115CNQ015APBF		
D-61	VS-115CNQ015ASLPBF		
D-61	VS-115CNQ015ASMPBF		
D-61	VS-80CNQ035APBF		
D-61	VS-80CNQ035ASLPBF		
D-61	VS-80CNQ035ASMPBF		
D-61	VS-80CNQ040APBF		
D-61	VS-80CNQ040ASLPBF		
D-61	VS-80CNQ040ASMPBF		
D-61	VS-80CNQ045APBF		
D-61	VS-80CNQ045ASLPBF		
D-61	VS-80CNQ045ASMPBF		
D-61	VS-81CNQ035APBF		
D-61	VS-81CNQ035ASLPBF		
D-61	VS-81CNQ035ASMPBF		
D-61	VS-81CNQ040APBF		
D-61	VS-81CNQ040ASLPBF		
D-61	VS-81CNQ040ASMPBF		
D-61	VS-81CNQ045APBF		
D-61	VS-81CNQ045ASLPBF		

Vishay Intertechnology, Inc.

Corporate Headquarters 63 Lincoln Highway, Malvern, PA 19355-2143 U.S.A. Phone (610) 644-1300 Fax (610) 296-0657 www.vishay.com

ONE OF THE WORLD'S LARGEST MANUFACTURERS OF DISCRETE SEMICONDUCTORS AND PASSIVE COMPONENT

PACKAGE	PRODUCT	HALOGEN FREE VERSION	PRODUCT AEC Q101
D-61	VS-81CNQ045ASMPBF		
D-61	VS-82CNQ030APBF		
D-61	VS-82CNQ030ASLPBF		
D-61	VS-82CNQ030ASMPBF		
D-61	VS-83CNQ080APBF		
D-61	VS-83CNQ080ASLPBF		
D-61	VS-83CNQ080ASMPBF		
D-61	VS-83CNQ100APBF		
D-61	VS-83CNQ100ASLPBF		
D-61	VS-83CNQ100ASMPBF		
D-61	VS-85CNQ015APBF		
D-61	VS-85CNQ015ASLPBF		
D-61	VS-85CNQ015ASMPBF		
D-61	VS-87CNQ020APBF		
D-61	VS-87CNQ020ASLPBF		
D-61	VS-87CNQ020ASMPBF		
D-61	VS-88CNQ060APBF		
D-61	VS-88CNQ060ASLPBF		
D-61	VS-88CNQ060ASMPBF		
D-61	VS-96-1026PBF		
Powertab	VS-100BGQ015		VS-100BGQ015HF4
TO-220	VS-10CTQ150PBF	VS-10CTQ150-N3	
TO-220	VS-19TQ015PBF	VS-19TQ015-N3	
TO-220	VS-20CTQ150PBF	VS-20CTQ150-N3	
TO-220	VS-20L15TPBF	VS-20L15T-N3	
TO-220	VS-40CTQ150PBF	VS-40CTQ150-N3	
TO-220	VS-40L15CTPBF	VS-40L15CT-N3	
TO-220	VS-60CTQ150PBF	VS-60CTQ150-N3	
TO-220	VS-96-1093PBF		
TO-220	VS-STPS20L15DPBF	VS-STPS20L15D-N3	
TO-220	VS-STPS40L15CTPBF	VS-STPS40L15CT-N3	
TO-247	VS-30CPQ140PBF	VS-30CPQ140-N3	
TO-247	VS-30CPQ150PBF	VS-30CPQ150-N3	
TO-247	VS-40L15CWPBF	VS-40L15CW-N3	
TO-247	VS-60CPQ150PBF	VS-60CPQ150-N3	
TO-247	VS-65PQ015PBF	VS-65PQ015-N3	
TO-247	VS-80CPQ150PBF	VS-80CPQ150-N3	
TO-247	VS-MBR40L15CWPBF	VS-MBR40L15CW-N3	
TO-247	VS-STPS40L15CWPBF	VS-STPS40L15CW-N3	

Vishay Intertechnology, Inc.

Corporate Headquarters 63 Lincoln Highway, Malvern, PA 19355-2143 U.S.A. **Phone** (610) 644-1300 **Fax** (610) 296-0657 www.vishay.com

ONE OF THE WORLD'S LARGEST MANUFACTURERS OF DISCRETE SEMICONDUCTORS AND PASSIVE COMPONENT

Additional part numbers released in TO-220, TO-247, D-61, PowerTab and D²PAK packages after the effective date of this PCN will be covered by this announcement.

VISHAY BRAND(s): Vishay Semiconductors

TIME SCHEDULE: After **February 2nd, 2015** Vishay may start to implement the above changes on new production

SAMPLE AVAILABILITY: On customer request

PRODUCT IDENTIFICATION: N/A

QUALIFICATION DATA: Qualification data is presented from page 5 of this PCN

This PCN is considered approved, without further notification, unless we receive specific customer concerns before January 19th, 2015 or as specified by contract.

ISSUED BY:

RS Chin, Vishay Diodes Product Marketing

e-mail: RS.Chin@vishay.com

For further information, please contact your regional Vishay office.

CONTACT INFORMATION:

The Americas

Vishay Semiconductors
150 Motor Parkway, Suite
101E
Hauppauge, NY11788 USA
Phone : 631 300 3816
Fax : 631 300 3843
Diodes-Americas@vishay.com

Europe

Vishay Semiconductors
Theresienstrasse 2
D-74072 Heilbronn, Germany
Phone: + 49 7131 67 3364 (3365)
Fax: + 49 7131 67 2807
Diodes-Europe@vishay.com

Asia

Vishay Semiconductors
15D, Sun Tong Infoport Plaza
55 Huai Hai West Road
Shanghai, Cina
Phone: + 86 138 1787 2112
Fax: + 86 21 5258 7979
Diodes-Asia@vishay.com

Vishay Intertechnology, Inc.

Corporate Headquarters 63 Lincoln Highway, Malvern, PA 19355-2143 U.S.A. Phone (610) 644-1300 Fax (610) 296-0657 www.vishay.com

ONE OF THE WORLD'S LARGEST MANUFACTURERS OF DISCRETE SEMICONDUCTORS AND PASSIVE COMPONENT

Schottky 15V to 150V 6 inches wafers.

TO-220 package

STRESS	CONDITIONS	TEST POINTS	SAMPLES	
HTRB	Tjmax @100% rated voltage 1000hrs	0 168 500 1000	231	0/231
TC	-55°C/150°C 1000 cycles	0 250 500 1000	231	0/231
UFAST	130°C 85%RH 96hrs	0 48 96	231	0/231
H3TRB	85°C 85%HR @80% Vr 1000hrs	0 168 500 1000	231	0/231
IOL	DT=100°C 1000Hrs	0 500 1000	231	0/231

TO-247 package

STRESS	CONDITIONS	TEST POINTS	SAMPLES	
HTRB	Tjmax @100% rated voltage 1000hrs	0 168 500 1000	227	0/227
TC	-55°C/150°C 1000 cycles	0 250 500 1000	227	0/227
UFAST	130°C 85%RH 96hrs	0 48 96	227	0/227
H3TRB	85°C 85%HR @80% Vr 1000hrs	0 168 500 1000	227	0/227
IOL	DT=100°C 1000Hrs	0 500 1000	227	0/227

D2PAK package

STRESS	CONDITIONS	TEST POINTS	SAMPLES	
HTRB	Tjmax @100% rated voltage 1000hrs	0 168 500 1000	77	0/77
TC	-55°C/150°C 1000 cycles	0 250 500 1000	77	0/77
UHAST	130°C 85%RH 96hrs	0 48 96	77	0/77
H3TRB	85°C 85%HR @80% Vr 1000hrs	0 168 500 1000	77	0/77
IOL	DT=100°C 1000Hrs	0 500 1000	77	0/77

D-61 package

STRESS	CONDITIONS	TEST POINTS	SAMPLES	
HTRB	Tjmax @100% rated voltage 1000hrs	0 168 500 1000	50	0/50
TC	-55°C/150°C 1000 cycles	0 250 500 1000	50	0/50
UHAST	130°C 85%RH 96hrs	0 48 96	50	0/50
H3TRB	85°C 85%HR @80% Vr 1000hrs	0 168 500 1000	50	0/50
IOL	DT=100°C 1000Hrs	0 500 1000	50	0/50